

CONTENTS

Precision VNA Calibration Kits

VNA Calibration Kit Finder	1	TNC VNA Calibration Kits	
Ordering Maury Cal Kits by Model Numbers	1	8650E Standard Kits	28
Network Analyzer Calibration Methodologies	2	8650P Fixed Termination Kits	29
Maury VNA Calibration Kits - General Information	3	AFTNC VNA Calibration Kits	
1.85mm VNA Calibration Kits		8680A Standard Kits & 8680B Fixed Termination Kits	30
7850A Standard Kits	4	AFTNC VNA Calibration Kit Adapter Options	
7850B/F/M Fixed Termination Kits	5	AFTNC/7mm, AFTNC/Type N, & AFTNC/3.5mm	
7860A TRL/LRL VNA Calibration Kits	6	Adapter Sets	31
1.85mm VNA Calibration Kit Adapter Options		TNCA VNA Calibration Kits	
7850Z1, 7850Z2, & 7850Z3 Adapter Sets	7	8670A Standard Kits & 8670B Fixed Termination Kits	32
2.4mm VNA Calibration Kits		TNCA VNA Calibration Kit Adapter Options	
7950A Standard Kits	8	TNCA/7mm, TNCA/Type N, & TNCA/3.5mm	
7950B/F/M Fixed Termination Kits	9	Adapter Sets	33
7960A TRL/LRL VNA Calibration Kits	10	BNC VNA Calibration Kits	
2.4mm VNA Calibration Kit Adapter Options		8550E/F/G 50 ohm Fixed Termination Kits	34
7950Z3, 7950Z4, & 7950Z8 Adapter Sets	11	8580A 75 ohm Fixed Termination Kits	35
2.92mm (K) VNA Calibration Kits		OSP™ VNA Calibration Kits	
8770C Standard Kits	12	8780A Standard Kits & 8780B Fixed Termination Kits	36
8770D Fixed Termination Kits	13	8780F/M Single-Sex Fixed Termination Kits	37
8760A TRL/LRL VNA Calibration Kits	14	14mm VNA Calibration Kits	
2.92mm (K) VNA Calibration Kit Adapter Options		2450 Series Expanded Kits	38
8770Z1, 8770Z2, & 8770Z3 Adapter Sets	15	Economy VNA Calibration Kits	
3.5mm VNA Calibration Kits		Single- or Dual-Sex Fixed Termination and 7mm TRL Kits	39
8050A Standard Kits & 8050Y Expanded Kits	16	7-16 VNA Calibration Kits	
8050B Fixed Termination Kits	17	2750B Fixed Termination Kits	40
8060A TRL/LRL VNA Calibration Kits	18	2750F/M Single-Sex Fixed Termination Kits	41
3.5mm VNA Calibration Kit Adapter Options		2760B TRL/LRL VNA Calibration Kits	42
8050Z1, & 8050Z2 Adapter Sets	19	Type N VNA Calibration Kit Adapter Options	
7mm VNA Calibration Kits		7-16 In-Series, 7-16/3.5mm, 7-16/7mm, & 7-16/Type N	
2650 Series Expanded Kits & Fixed Termination Kits	20	Between-Series Adapter Sets	43
2660B TRL/LRL VNA Calibration Kits	21	Waveguide VNA Calibration Kits	
Type N VNA Calibration Kits		7005E Standard Kits	44
8850C Standard Kits	22	Waveguide VNA Calibration Kits	
8850P Fixed Termination Kits	23	7006A Economy Kits	45
8860A TRL/LRL VNA Calibration Kits	24	Optimized Millimeter Waveguide VNA Calibration Kits	
Type N VNA Calibration Kit Adapter Options		7005G Optimized Kits	46
8850Z8/9/10 & 8860 (3.5mm, 2.4mm & 7mm) Adapter Sets	25	Millimeter Waveguide VNA Calibration Kits	
Type N 75 ohm VNA Calibration Kits		7005M Economy Kits	47
8880A/B 75 ohm Fixed Termination Kits	26-27	Waveguide TRL VNA Calibration Kits	
		7005H Kits	48

CONTENTS

Precision VNA Calibration Kit Components

VNA Calibration Kit Components Finder	49	3.5mm Precision Fixed Offset Shorts	
Maury Cal Kits Components - General Information	50	8046 series and 8047 series	68
Precision Fixed Terminations - General Information	51	3.5mm/SMA Reference Plane Fixed Flush Shorts	
1.85mm and 2.4mm		360D and 360B	68
7831/32 series and 7931 series Fixed Terminations	52	7mm Precision Reference Fixed Flush Shorts	
2.92mm (K) and 3.5mm		2615 series	69
8775 series & 8031 series Fixed Terminations	53	7mm Precision Fixed Offset Shorts	
7mm and Type N		2649 series	69
2610 series & 2510 series Fixed Terminations	54	Type N Precision Fixed Offset Shorts	
Type N 75 ohm and BNC 75 ohm		8806 series, 8807 series and 8615 series	70
8883 series & 8583 series Fixed Terminations	55	TNC Precision Fixed Offset Shorts	
HN, SC, BNC and C		8606 series and 8706 series	70
335, 336, 351 and 354 series Fixed Terminations	56	AFTNC Precision Fixed Offset Shorts	
TNC, AFTNC and TNCA		8686A and 8687A	71
332, 8684 and 8674 series Fixed Terminations	57	TNCA Precision Fixed Offset Shorts	
LCP/OSP™		8676A and 8677A	71
8783 series Fixed Terminations	58	14mm Precision Reference Fixed Flush Shorts	
14mm - GR900 Equivalent and 7-16		2415 series	72
2410A and 2710 series Fixed Terminations	59	LCP/OSP™ Fixed Offset Shorts	
Waveguide		8781 series	72
301 series Fixed Terminations	60	7-16 Precision Fixed Offset Shorts	
Sliding Terminations - General Information	61	2714 series	73
1.85mm, 2.4mm, 2.92mm and 3.5mm		General Purpose Fixed Offset Shorts	
Sliding Terminations - Metrology Grade	62	Type N (75 ohm), C, HN, SC, BNC and BNC (75 ohm)	73
7mm (LPC7A), Type N, TNC, AFTNC, TNCA, SMA and 14mm (LPC14)		Waveguide Fixed Flush Shorts	
Sliding Terminations - Precision Dedicated Connectors	63	344 series	74
3.5mm, 7mm (LPC7) and Type N		Waveguide Fixed Offset Shorts	
Sliding Terminations - Modular Connectors	64	340 series	75
Waveguide (Precision and High Precision)		Sliding Shorts - General Information	76
313 series and 314 series	65	Modular Sliding Shorts	
Fixed Flush and Fixed Offset Shorts - General Information ...	66	2508A, 2518A, 8036A, 8779A and 8779B	76
1.85mm Precision Fixed Offset Shorts		High Precision Sliding Shorts	
7846 series and 7847 series	66	SMA (1959A/B) and 7mm (2604A)	77
2.4mm Precision Fixed Offset Shorts		General Purpose Sliding Shorts	
7946A and 7946B	67	1909 series and 1978 series	77
2.92mm Precision Fixed Offset Shorts		Waveguide Sliding Shorts	
8771 series and 8772 series	67	341, 345 and 347 series	78

CONTENTS

Precision VNA Calibration Kit Components (continued)

Opens - General Information	79	3.5mm Two-Port Mismatch Air Line Standards	
1.85mm, 2.4mm, 2.92mm (K), 3.5mm, 7mm, Type N, Type N (75 ohm), TNC, AFTNC, TNCA, OSP™, 14mm, 7-16 BNC and BNC (75 ohm)		8044S series	90
Opens (all models)	79	7mm and LPC7 Two-Port mismatch Air Line Standard Sets	
Precision Air Lines - General Information	80	2654 series	91
1.85mm Air Lines		Connector Gages and Connector Gage Kits	92
7843 series (Beadless)	80	Coaxial Directional Couplers	
2.4mm Air Lines		7mm (4030 series) and 14mm (4090 series)	93
7943 series (Beadless)	81	Torque Wrenches	
2.92mm Air Lines		All Models	94
8774 series (Beadless)	81		
3.5mm Air Lines		Precision Adapters	
8043 series (Beadless)	82	Coaxial to Coaxial & Waveguide to Coaxial Adapter Finder ...	95
8042 series (Bead Supported)	82	Precision Adapters, Cables, Connectors, Waveguide Components and Manual Tuners - General Information	96
7mm Air Lines		Precision Coaxial Adapters - General Information	97
2653 series (Beadless)	83	1.85mm	
2603 series (Bead Supported)	83	NMD1.85mm Test Port Adapters	
Type N Air Lines		7809 series	98
2553 series (Beadless)	84	1.85mm Between-Series Adapters	
2503 series (Bead Supported)	84	7824, 7826 and 7827 series	99-101
14mm Air Lines		1.85mm In-Series Adapters	
2453 series (Beadless)	85	7821 series	99-100
7-16 Air Lines		2.4mm	
2735A series	85	NMD2.4mm Test Port Adapters	
Precision Mismatches - General Information	86	7809H and 7909 series	102
2.4mm, 2.92mm and 3.5mm Precision Mismatches		2.4mm In-Series Adapters	
7933A/B series, 8778A/B series & 8033A/B series	86	7921 series	103
7mm, Type N, TNC and 14mm Precision Mismatches		2.4mm Between-Series Adapters	
2611 series, 2561/62 series, 8611/12 series & 2411E	87	7926, 7927, 7922 and 7923 series	104
Precision Mismatch Sets		2.92mm (K)	
2.4mm, 2.92mm and TNC Mismatch Sets	88	NMD2.92mm Test Port Adapters	
3.5mm Mismatch Set (8033K)	88	8719 series	105
7mm and Type N Mismatch Sets	88	2.92mm In-Series Adapters	
Special Kits - Mismatch Sets	88	8714 series	106
Waveguide Two-Port Mismatch Standard Sets		2.92mm Between-Series Adapters	
322A series	89	8723 and 8725 series	107
Two-Port Mismatch Air Line Standards			
General Information	90		

CONTENTS

Precision Adapters (continued)

3.5mm

NMD3.5mm Test Port Adapters	
2433A1, 2633C, 8009, 8619, 8679, 8691 and 8829 series	108
3.5mm In-Series Adapters	
8021 series	109
3.5mm (QT3.5mm™) Quick Test Adapters	
8006 series	110
3.5mm Between-Series Adapters	
8022, 8023, 8025, 8682, 8672 and 8028 series	111
3.5mm Between-Series Panel Mount Adapters	
8022N/P, 8023P1/P2, 8023T1/T2 and 8009D/E/E1	112

7mm

7mm Between-Series Adapters	
2606, 2607, 2617, 2621, 2622, 2623, 2624, 2625, 2633, 2657, 8692 and 8696 series and 2617	113

Type N

Type N In-Series Adapters (50 ohm) – Phase Matched	
8828 series	114
Type N In-Series Adapters (50 ohm)	
8801 and 8803 series	115
Type N Between-Series Adapters (50 ohm)	
8694, 8697, 8816, 8817, 8820, 8821 and 8822 series	116
Type N Adapters (75 ohm) – Phase Matched	
8882 series	117

LCP/OSP™

LCP/OSP™ Between-Series Adapters	
8787 series	118

TNC

TNC In-Series Adapters	
232 series, 8688 series and 8678 series	119

14mm (GR900 equivalent)

14mm Between-Series Adapters (GR900 equivalent)	
2406, 2407 and 2709 series; EIA Model 2417B	120

7-16

7-16 In-Series and Between-Series Adapters	
2705, 2706, 2707 and 2712 series	121

Waveguide To Coaxial Adapters - Right Angle Launch

EIA WR650 to WR22	
2.4mm, 2.92mm, 3.5mm, SMA, 7mm, Type N and TNC	122-123
Waveguide to Coaxial Test Port Adapters (NMD)	136

Waveguide To Coaxial Adapters - End Launch

EIA WR430 to WR22	
2.4mm, 2.92mm, 3.5mm, SMA, 7mm and Type N	124-125

Waveguide Flange Adapters

In-Band EIA WR284 to WR28	126
----------------------------------	-----

Waveguide Transmission Lines and Test Port Adapters

Rectangular Transmission Lines	127
Rectangular to Rectangular Stepped Transitions	127
Millimeter Waveguide Test Port Adapters	127
Millimeter Waveguide Transmission Lines	127
Waveguide Flange Information	128
Standard Waveguide Flange Specifications	129-131

Coaxial Cable Assemblies, Test Port Cable and Adapter Kits, Connectors and Manual Tuners

Coaxial Cable Assemblies

Flexible and Semi-Rigid Cable Assemblies	
2.4mm, 3.5mm and SMA	132
Precision Semi-Rigid Assemblies - 90° Bends (Phase Matched)	
2.4mm, 3.5mm and 7mm	133

Precision Right Angle Test Port Adapters

NMD3.5mm to NMD3.5mm & Nmd3.5mm to 3.5mm	133
--	-----

Test Port Cable and Adapter Kits

Available Models	
8944, 8946, and 8948 series	134
Cable Specifications and Adapter Options	135

Adapter Specifications

Coaxial to Coaxial Test Port Adapters	136
Waveguide to Coaxial Test Port Adapters	136

Coaxial Connectors

3.5mm Rigid and Semi-Rigid Air Line Connectors	137
3.5mm Panel Mount, Suspended Stripline and Micro-Strip Launch Connectors	138
7mm Rigid Line Connectors 2680 series	139
7mm Precision Micro-Strip Connectors 2683 series	139
7mm Precision Panel Mount Connectors 2680 series	140
7mm Precision Semi-Rigid Cable Connectors 2681 series	140

Manual Tuners - General Information

Coaxial Slide Screw Tuners - Wide Matching Range	
2.4mm, 3.5mm, 7mm, Type N, 14mm & 7-16 models	142-143

Coaxial Slide Screw Tuners - Standard Matching Range

3.5mm, 7mm, & Type N models	144
-----------------------------	-----

Coaxial Stub Tuners

SMA, 7mm, & Type N models; Double- and Triple-Stub	145
--	-----

Waveguide Slide Screw Tuners - Standard Matching Range

WR90 – WR22 models	146
--------------------	-----

MODEL INDEX (continued)

MODEL	PAGE	MODEL	PAGE		
2440B	14mm slide screw tuner (0.4-4.0 GHz)	142	2561F	Type N female precision mismatch	87
2440C	14mm slide screw tuner (0.4-4.0 GHz)	142	2561G	Type N female precision mismatch	87
2450 series	14mm VNA Calibration Kits (Expanded)	38	2561L	Type N female precision mismatch set	88
2453A	14mm Beadless Air Line (30.0cm)	38, 85	2561M	Type N female precision mismatch set	88
2453B	14mm beadless air line	85	2562A	Type N male precision mismatch	87
2453C	14mm beadless air line	85	2562B	Type N male precision mismatch	87
2453D	14mm beadless air line	85	2562C	Type N male precision mismatch	87
2453E	14mm beadless air line	85	2562D	Type N male precision mismatch	87
2453F	14mm beadless air line	85	2562E	Type N male precision mismatch	87
2453G	14mm beadless air line	85	2562F	Type N male precision mismatch	87
2453H	14mm beadless air line	85	2562G	Type N male precision mismatch	87
2453K	14mm beadless air line kit	85	2562L	Type N male precision mismatch set	88
2481A	14mm center conductor contacts (spare part set)	38	2562M	Type N male precision mismatch set	88
2481S3	Contact installation/extraction tool	38	2600		
2498T1	1-inch hex torque wrench (12 in. lbs)	38, 94	2603A	7mm bead supported air line	83
2500			2603B	7mm bead supported air line	83
2503A	Type N female to male bead supported air line	84	2603C	7mm bead supported air line	83
2503B	Type N female to male bead supported air line	84	2603D	7mm bead supported air line	83
2503C	Type N female to male bead supported air line	84	2603E	7mm bead supported air line	83
2503D	Type N female to male bead supported air line	84	2603F	7mm bead supported air line	83
2503E	Type N female to male bead supported air line	84	2603G	7mm bead supported air line	83
2503F	Type N female to male bead supported air line	80, 84	2603K	7mm bead supported air line kit	83
2503G	Type N female to male bead supported air line	84	2603L	7mm bead supported air line kit	83
2503K	Type N bead supported air line kit	84	2604A	7mm sliding short	77
2503L	Type N bead supported air line kit	84	2606C	7mm to Type N female adapter	25, 113, 135-136
2507	7mm/Type N female-male modular sliding termination	64	2606D	7mm to type N male adapter	28, 113, 135-136
2508A	LPC7/Type N female/male modular sliding short	76	2607A1	7mm to 14mm (GR900) adapter	38, 113, 120, 135-136
2510A4	Type N female precision fixed termination	54	2608C	7mm (LPC7) sliding termination	62
2510A5	Type N female precision fixed termination	54	2610C	7mm precision fixed termination	54
2510A6	Type N female precision fixed termination	24, 54	2610D	7mm precision fixed termination	54
2510A7	Type N female precision fixed termination	22-23, 54	2610F	7mm precision fixed termination	20-21, 54
2510A8	Type N female precision fixed termination	54	2611A	7mm precision mismatch	20, 87
2510B4	Type N male precision fixed termination	54	2611B	7mm precision mismatch	20, 87
2510B5	Type N male precision fixed termination	54	2611C	7mm precision mismatch	20, 87
2510B6	Type N male precision fixed termination	24, 54	2611D	7mm precision mismatch	20, 87
2510B7	Type N male precision fixed termination	22-23, 54	2611E	7mm precision mismatch	20, 87
2510B8	Type N male precision fixed termination	54	2611F	7mm precision mismatch	20, 87
2517A	7mm/Type N female & male modular sliding termination	22, 64	2611G	7mm precision mismatch	20, 87
2517H	LPC7 precision sliding termination	20, 63	2611L	7mm precision mismatch set	88
2518A	LPC7/Type N female/male modular sliding short	76	2611M	7mm precision mismatch set	88
2553K	Type N beadless air line kit	84	2611S1	Instrument case (4 units)	88
2553T3	Type N female to male beadless air line (3.0cm)	84	2611S2	Instrument case (8 units)	88
2553T3.12	Type N female to male air line (3.12cm)	24, 84	2611S3	Instrument case (12 units)	88
2553T3.82	Type N female to male air line (3.82cm)	24, 84	2612B1	7mm double-stub tuner	145
2553T5	Type N female to male beadless air line (5.0cm)	80, 84	2612B2	7mm double-stub tuner	145
2553T6	Type N female to male beadless air line (6.0cm)	84	2612B3	7mm double-stub tuner	145
2553T7.5	Type N female to male beadless air line (7.5cm)	84	2612B4	7mm double-stub tuner	145
2553T10	Type N female to male beadless air line (10.0cm)	84	2612B7	7mm double-stub tuner	145
2553T15	Type N female to male beadless air line (15.0cm)	24, 84	2612C1	7mm triple-stub tuner	145
2553T30	Type N female to male beadless air line (30.0cm)	84	2612C2	7mm triple-stub tuner	145
2561A	Type N female precision mismatch	87	2612C3	7mm triple-stub tuner	145
2561B	Type N female precision mismatch	87	2612C4	7mm triple-stub tuner	145
2561C	Type N female precision mismatch	87	2612C7	7mm triple-stub tuner	145
2561D	Type N female precision mismatch	87	2615A3	7mm precision reference fixed flush short	69
2561E	Type N female precision mismatch	87	2615B3	7mm precision reference fixed flush short	21, 69

MODEL INDEX (continued)

MODEL	PAGE	MODEL	PAGE		
2615D3	7mm precision reference fixed flush short	20, 69	2697A	7mm tool kit	139
2616D3	7mm open	20-21, 79	2697S5	7mm Collet extractor	20
2617	7mm to 7/8 EIA adapter	113	2698C2	3/4-inch hex torque wrench (12 in. lbs)	20-24, 26-27, 94, 139
2621A1	7mm to BNC female adapter	34, 113	2698G1	9/16-inch hex torque wrench (12 in. lbs)	28-30, 32, 94
2621B1	7mm to BNC male adapter	34, 113	2698H1	9/16-inch hex torque wrench (8 in. lbs)	36, 94
2622A1	7mm to TNC female adapter	28-29, 113, 135-136	2698K1	1-1/16-inch hex torque wrench (20 in. lbs)	40, 42-43, 94
2622B	7mm to TNC male adapter	28-29, 113, 135-136	2698J1	13/16-inch hex torque wrench (12 in. lbs)	94
2623A	7mm to C female adapter	113	2700		
2623B	7mm to C male adapter	113	2705A	7-16 female to 3.5mm female adapter	121
2624A	7mm to SC female adapter	113	2705B	7-16 female to 3.5mm male adapter	121
2624B1	7mm to SC male adapter	113	2705C	7-16 male to 3.5mm female adapter	121
2625A	7mm to SMA female adapter	113	2705D	7-16 male to 3.5mm male adapter	121
2625B	7mm to SMA male adapter	113	2706A	7-16 female to Type N female adapter	43, 121
2633A	7mm "female" to 7mm adapter	113, 135-136	2706B	7-16 female to Type N male adapter	43, 121
2633C	NMD3.5mm female to 7mm test port adapter	20-21, 108	2706C	7-16 male to Type N female adapter	43, 121
2640C	7mm slide screw tuner (0.9-12.4 GHz)	144	2706D	7-16 male to Type N female adapter	43, 121
2640D	7mm slide screw tuner (1.8-18.0 GHz)	144	2706E	7-16 male to Type N female test port adapter	43, 121
2640D1	7mm slide screw tuner (1.8-18.0 GHz)	142	2706F	7-16 male to Type N male test port adapter	43, 121
2640N	7mm slide screw tuner (0.8-8.0 GHz)	142	2707A	7-16 female to 7mm adapter	43, 121
2640P	7mm slide screw tuner (0.8-18.0 GHz)	142	2707B	7-16 male to 7mm adapter	43, 121
2649A	7mm precision fixed offset short	20, 69	2707C	7-16 male to 7mm test port adapter	43, 121
2649B	7mm precision fixed offset short	20, 69	2709A	14mm (GR900) to 7-16 female adapter	120
2649C	7mm precision fixed offset short	20, 69	2709B	14mm (GR900) to 7-16 male adapter	120
2649D	7mm precision fixed offset short	20, 69	2710A	7-16 female fixed termination	40-42, 59
2650 series	7mm VNA Calibration Kits (Standard, Fixed Termination, Expanded)	20	2710B	7-16 male fixed termination	40-42, 59
2653K	7mm beadless air line kit	83	2712A	7-16 female to 7-16 female adapter	121
2653L	7mm beadless air line (0.6cm)	21, 83	2712B	7-16 male to 7-16 male adapter	121
2653S3	7mm beadless air line (3.0cm)	83	2712C	7-16 female to 7-16 male adapter	121
2653S3.12	7mm beadless air line (3.12cm)	21, 83	2714A	7-16 female precision fixed offset short	40-42, 73
2653S4	7mm beadless air line (4.0cm)	83	2714B	7-16 male precision fixed offset short	40-42, 73
2653S5	7mm beadless air line (5.0cm)	83	2714C	7-16 female precision fixed offset short	73
2653S6	7mm beadless air line (6.0cm)	83	2714D	7-16 male precision fixed offset short	73
2653S7.5	7mm beadless air line (7.5cm)	83	2716A	7-16 female open	40-42, 73, 79
2653S9.2	7mm beadless air line (9.2cm)	83	2716B	7-16 male open	40-42, 73, 79
2653S10	7mm beadless air line (10.0cm)	83	2735A6	7-16 female to male beadless air line	42, 85
2653S15	7mm beadless air line (15.0cm)	21, 83	2735A7.5	7-16 female to male beadless air line	42, 85
2653S20	7mm beadless air line (20.0cm)	83	2735A30	7-16 female to male beadless air line	42, 85
2653S30	7mm beadless air line (30.0cm)	20, 83	2735K	7-16 female to male beadless air line kit	42, 85
2654A	7mm two-port mismatch air line standard	20, 91	2740B	7-16 slide screw tuner (0.8-8.0 GHz)	142
2654B	7mm two-port mismatch air line standard	20, 91	2740C	7-16 slide screw tuner (0.4-4.0GHz)	142
2654S15	7mm two-port mismatch air line standard	91	2750B series	7-16 VNA Calibration Kits (Fixed Termination)	40
2654S60	7mm two-port mismatch air line standard	91	2750F series	7-16 VNA Calibration Kits (Female Fixed Termination)	41
2657A	7mm to HN female adapter	113	2750M series	7-16 VNA Calibration Kits (Male Fixed Termination)	41
2657B	7mm to HN male adapter	113	2750Z3	15/16-inch open-end wrench	40
2660B series	7mm TRL VNA Calibration Kits (Tri-Kits)	21	2750Z4	7mm to 7-16 VNA Calibration Kit Adapter Set	43
2660Q series	7mm TRL VNA Calibration Kit (Economy)	39	2750Z4	Type N to 7-16 VNA Calibration Kit Adapter Set	43
2680A1	7mm rigid air line connector	139	2760B series	7-16 TRL/LRL VNA Calibration Kits	42
2680B1	7mm panel mount connector	140	4000		
2680C1	7mm panel mount connector	140	4031	7mm/Type N female directional coupler	93
2680S2	7mm six-slot collets (spare parts kit)	20	4032	7mm/Type N female directional coupler	93
2681C1	7mm semi-rigid cable connector	140	4033	7mm/Type N female directional coupler	93
2681D1	7mm semi-rigid cable connector	140	4094	14mm/Type N female directional coupler	93
2681E1	7mm semi-rigid cable connector	140	4095	14mm/Type N female directional coupler	93
2683A1	7mm micro-strip connector	139	4096A	14mm/Type N female directional coupler	93
2683B1	7mm micro-strip connector	139	4097	14mm/Type N female directional coupler	93

MODEL INDEX

MODEL	PAGE	MODEL	PAGE
7000		7850B series 1.85mm VNA Calibration Kits (Fixed Termination)	5
7005E series Waveguide VNA Calibration Kits (Standard)	44	7850F series 1.85mm VNA Calibration Kits (Female Fixed Termination)	5
7005G series Millimeter Waveguide VNA Calibration Kits (Optimized)	45	7850M series 1.85mm VNA Calibration Kits (Male Fixed Termination)	5
7005M series Millimeter Waveguide VNA Calibration Kits (Economy)	46	7850Z1 1.85mm VNA Calibration Kit Adapter Set	7
7006A series Waveguide VNA Calibration Kits (Economy Models)	47	7850Z2 1.85mm VNA Calibration Kit Adapter Set	7
7007H series Waveguide TRL VNA Calibration Kits	48	7850Z3 1.85mm VNA Calibration Kit Adapter Set	7
7800		7860A series 1.85mm TRL/LRL VNA Calibration Kits	6
7809A1 NMD1.85mm female to 1.85mm female adapter	7, 98	7900	
7809A2 NMD1.85mm female to 1.85mm male adapter	7, 98	7909A1 NMD2.4mm female to 2.4mm female test port adapter	11, 102, 135-136
7809B1 NMD1.85mm test port adapter	98	7909A2 NMD2.4mm female to 2.4mm male test port adapter	11, 102, 135-136
7809B2 NMD1.85mm test port adapter	98	7909B1 NMD2.4mm female to 3.5mm female test port adapter	102, 135-136
7809C NMD1.85mm test port adapter	98	7909B2 NMD2.4mm female to 3.5mm male test port adapter	102, 135-136
7809D1 NMD1.85mm test port adapter	98	7909C NMD2.4mm female to 7mm test port adapter	21, 102, 135-136
7809D2 NMD1.85mm test port adapter	98	7909D1 NMD2.4mm fem to type N fem test port adapter	22-23, 25, 102, 135-136
7809F1 NMD1.85mm test port adapter	98	7909D2 NMD2.4mm fem to type N male test port adapter	22-23, 25, 102, 135-136
7809F2 NMD1.85mm test port adapter	98	7909F1 NMD2.4mm female to 2.92mm (K) female test port adapter	15, 102, 135-136
7809G NMD1.85mm test port adapter	98	7909F2 NMD2.4mm female to 2.92mm (K) male test port adapter	15, 102, 135-136
7809H NMD1.85mm test port adapter	98, 102	7909H NMD2.4mm fem to NMD3.5mm male test port adapter	38, 102, 136
7809K NMD1.85mm test port adapter	98	7909K NMD2.4mm female to NMD2.4mm male test port adapter	102
7821A 1.85mm female to 1.85mm female adapter	7, 99-100	7911A 2.4mm female to female semi-rigid 90° bend	133
7821B 1.85mm male to 1.85mm male adapter	7, 99-100	7911B 2.4mm male to male semi-rigid 90° bend	133
7821C 1.85mm female to 1.85mm male adapter	7, 99-100	7911C 2.4mm female to male semi-rigid 90° bend	133
7824A 1.85mm female to 2.4mm female adapter	99-100	7915 2.4mm flexible cable	132
7824B 1.85mm female to 2.4mm male adapter	99-100	7921A 2.4mm female to 2.4mm female adapter	11, 103
7824C 1.85mm male to 2.4mm female adapter	99-100	7921B 2.4mm male to 2.4mm male adapter	11, 103
7824D 1.85mm male to 2.4mm male adapter	99-100	7921C 2.4mm female to 2.4mm male adapter	11, 103
7826A 1.85mm female to 2.92mm female adapter	7, 99-101	7921D 2.4mm female to female adapter	103
7826B 1.85mm female to 2.92mm male adapter	7, 99-101	7921E 2.4mm female to female adapter	103
7826C 1.85mm male to 2.92mm female adapter	7, 99-101	7922A 2.4mm female to 7mm adapter	21, 104
7826D 1.85mm male to 2.92mm male adapter	7, 99-101	7922B 2.4mm male to 7mm adapter	21, 104
7827A 1.85mm female to 3.5mm female adapter	99-101	7923A 2.4mm female to Type N female adapter	22-23, 25, 104
7827B 1.85mm female to 3.5mm male adapter	99-101	7923B 2.4mm female to Type N male adapter	22-23, 25, 104
7827C 1.85mm male to 3.5mm female adapter	99-101	7923C 2.4mm male to Type N female adapter	22-23, 25, 104
7827D 1.85mm male to 3.5mm male adapter	99-101	7923D 2.4mm male to Type N male adapter	22-23, 25, 104
7831A1 1.85mm female low band fixed termination	4-6, 52	7926A 2.4mm female to 2.92mm (K) female adapter	11, 15, 104
7831B1 1.85mm male low band fixed termination	4-6, 52	7926B 2.4mm female to 2.92mm (K) male adapter	11, 15, 104
7832A 1.85mm female high band fixed termination	5, 52	7926C 2.4mm male to 2.92mm (K) female adapter	11, 15, 104
7832B 1.85mm male high band fixed termination	5, 52	7926D 2.4mm male to 2.92mm (K) male adapter	11, 15, 104
7835A 1.85mm female sliding termination	62	7927A 2.4mm female to 3.5mm female adapter	19, 104
7835B 1.85mm male sliding termination	62	7927B 2.4mm female to 3.5mm male adapter	19, 104
7835C 1.85mm female/male sliding termination set	62	7927C 2.4mm male to 3.5mm female adapter	19, 104
7843S0.96 1.85mm female to male air line (0.96cm)	6, 80	7927D 2.4mm male to 3.5mm male adapter	19, 104
7843S1.15 1.85mm female to male air line (1.15cm)	6, 80	7931A1 2.4mm female fixed termination	8-10, 52
7843S3.00 1.85mm female to male air line (3.00cm)	6, 80	7931B1 2.4mm male fixed termination	8-10, 52
7846A 1.85mm female fixed offset short	4-6, 66	7933A1.10 2.4mm female precision mismatch	86
7846B 1.85mm male fixed offset short	4, 66	7933A1.20 2.4mm female precision mismatch	86
7846C 1.85mm female fixed offset short (0.683cm)	4, 66	7933A1.30 2.4mm female precision mismatch	86
7846D 1.85mm female fixed offset short (0.794cm)	4, 66	7933A1.50 2.4mm female precision mismatch	86
7847A 1.85mm male fixed offset short (0.5cm)	4-6, 66	7933A1.75 2.4mm female precision mismatch	86
7847B 1.85mm male fixed offset short (0.606cm)	4, 66	7933A2.00 2.4mm female precision mismatch	86
7847C 1.85mm male fixed offset short (0.683cm)	4, 66	7933B1.10 2.4mm male precision mismatch	86
7847D 1.85mm male fixed offset short (0.794cm)	4, 66	7933B1.20 2.4mm male precision mismatch	86
7848A 1.85mm female open	4-5, 79	7933B1.30 2.4mm male precision mismatch	86
7848B 1.85mm male open	4-5, 79	7933B1.50 2.4mm male precision mismatch	86
7850A series 1.85mm VNA Calibration Kits (Standard)	4	7933B1.75 2.4mm male precision mismatch	86

MODEL INDEX

MODEL	PAGE	MODEL	PAGE		
7933B2.00	2.4mm male precision mismatch	86	8006G1	QT3.5mm™ male no nut to 3.5mm male adapter	110
7935A	2.4mm female sliding termination	8, 62	8006G11	QT3.5mm™ male 3/8-in. nut to Type N female adapter	110
7935B	2.4mm male sliding termination	8, 62	8006G21	QT3.5mm™ male 9/16-in. nut to Type N female adapter	110
7935C	2.4mm female/male sliding termination set	62	8006H1	QT3.5mm™ male no nut to Type N male adapter	110
7941A	2.4mm slide screw tuner	142	8006H11	QT3.5mm™ male 3/8-in. nut to Type N male adapter	110
7943G	2.4mm female to male beadless air line	81	8006H21	QT3.5mm™ male 9/16-in. nut to Type N male adapter	110
7943H	2.4mm female to male beadless air line	81	8006K1	QT3.5mm™ male no nut to NMD2.4mm female adapter	110
7943S1.25	2.4mm female to male beadless air line (1.25cm)	10, 81	8006K11	QT3.5mm™ male 3/8-in. nut to NMD2.4mm female adapter	110
7943S1.50	2.4mm female to male beadless air line (1.50cm)	10, 81	8006K21	QT3.5mm™ male 9/16-in. nut to NMD2.4mm female adapter	110
7943S6.25	2.4mm female to male beadless air line (6.25cm)	10, 81	8006Q1	QT3.5mm™ male with guide sleeve to 3.5mm male adapter	110
7946A	2.4mm female precision fixed offset short	8-10, 67	8009A	NMD3.5mm female to 3.5mm female test port adapter	108
7946B	2.4mm male precision fixed offset short	8-10, 67	8009B	NMD3.5mm female to 3.5mm male test port adapter	108
7948A	2.4mm female open	8-10, 79	8009D	3.5mm female to NMD3.5mm male panel mount adapter	112
7948B	2.4mm male open	8-10, 79	8009E	3.5mm female to NMD3.5mm male panel mount adapter	112
7950A series	2.4mm VNA Calibration Kits (Standard)	8	8009E1	3.5mm female to NMD3.5mm male panel mount adapter	112
7950B series	2.4mm VNA Cal Kits (Fixed Termination)	9	8009F	NMD3.5mm female to NMD3.5mm male test port adapter	108
7950F series	2.4mm VNA Cal Kits, Female Fixed Termination (Economy)	9	8011A1	3.5mm female to female semi-rigid 90° bend	133
7950M series	2.4mm VNA Cal Kits, Male Fixed Termination (Economy)	9	8011B1	3.5mm male to male semi-rigid 90° bend	133
7950Z3	2.4mm VNA Calibration Kit Adapter Set	11	8011C1	3.5mm female to male semi-rigid 90° bend	133
7950Z4	2.4mm VNA Calibration Kit Adapter Set	11	8015	3.5mm flexible cable (standard lengths)	132
7950Z8	2.4mm VNA Calibration Kit Adapter Set	11	8021A2	3.5mm female to female adapter	19, 109
7960A	2.4mm TRL/LRL VNA Calibration Kits (Tri-Kits)	10	8021B2	3.5mm male to male adapter	19, 109
8000			8021C2	3.5mm female to male adapter	19, 109
8001A	3.5mm female connector	137	8021D1	3.5mm female to female adapter	109
8001B	3.5mm male connector	137	8021E1	3.5mm female to female adapter	109
8001C	3.5mm female panel mount connector	137	8021K1	3.5mm male to female adapter	109
8001G	0.0589-inch dia. by 6-inch inner conductor rod	137	8021L1	3.5mm female to female adapter	109
8001H	0.1378-inch I.D. by 6-inch outer conductor rod	137	8021P	3.5mm female to male adapter	109
8001K	Rigid air line connector tool kit	137	8022A1	3.5mm female to 7mm adapter	111, 135-136
8002A	3.5mm female panel mount connector	138	8022A2	3.5mm female to 7mm adapter	20-21, 39, 111
8002B	3.5mm male panel mount connector	138	8022B1	3.5mm male to 7mm adapter	111, 135-136
8002D	3.5mm female suspended stripline connector	138	8022B2	3.5mm male to 7mm adapter	20-21, 39, 111
8002E	3.5mm male suspended stripline connector	138	8022N	3.5mm female to 7mm panel mount adapter adapter	112
8003A	3.5mm female connector	137	8022P	3.5mm female to 7mm panel mount adapter	112
8003B	3.5mm male connector	137	8023A	3.5mm female to Type N female adapter	25, 111
8003C	3.5mm female panel mount connector	137	8023B1	3.5mm female to Type N male adapter	25, 39, 111
8003K	Semi-rigid cable connector tool kit	137	8023C	3.5mm male to Type N female adapter	25, 111
8004A	3.5mm female suspended stripline connector	138	8023D1	3.5mm male to Type N male adapter	25, 39, 111
8004B	3.5mm male suspended stripline connector	138	8023P1	3.5mm male to Type N female panel mount adapter	112
8004C	3.5mm female suspended stripline connector	138	8023P2	3.5mm male to Type N male panel mount adapter	112
8004D	3.5mm male suspended stripline connector	138	8023T1	3.5mm male to Type N female panel mount adapter	112
8004E	3.5mm female suspended stripline connector	138	8023T2	3.5mm male to Type N male panel mount adapter	112
8004F	3.5mm male suspended stripline connector	138	8025A1	3.5mm female to TNC female adapter	28-29, 111
8006B1	QT3.5mm™ male no nut to 7mm adapter	110	8025B1	3.5mm female to TNC male adapter	28-29, 111
8006B11	QT3.5mm™ male 3/8-in. nut to 7mm adapter	110	8025C1	3.5mm male to TNC female adapter	28-29, 111
8006B21	QT3.5mm™ male 9/16-in. nut to 7mm adapter	110	8025D1	3.5mm male to TNC male adapter	28-29, 111
8006C1	QT3.5mm™ male no nut to NMD3.5mm female adapter	110	8028A	3.5mm female to BNC female adapter	34, 111
8006C11	QT3.5mm™ male 3/8-in. nut to NMD3.5mm female adapter	110	8028B	3.5mm female to BNC male adapter	34, 111
8006C21	QT3.5mm™ male 9/16-in. nut to NMD3.5mm female adapter	110	8028C	3.5mm male to BNC female adapter	34, 111
8006E1	QT3.5mm™ male no nut to 3.5mm female adapter	110	8028D	3.5mm male to BNC male adapter	34, 111
8006E11	QT3.5mm™ male 3/8-in. nut to 3.5mm female adapter	110	8031A2	3.5mm female precision fixed termination	53
8006E21	QT3.5mm™ male 9/16-in. nut to 3.5mm female adapter	110	8031A4	3.5mm female fixed termination	16-17, 53
8006F1	QT3.5mm™ male no nut to 3.5mm male adapter	110	8031A5	3.5mm female fixed termination	18, 53
8006F11	QT3.5mm™ male 3/8" nut to 3.5mm male adapter	110	8031B2	3.5mm male precision fixed termination	53
8006F21	QT3.5mm™ male 9/16-in. nut to 3.5mm male adapter	110	8031B4	3.5mm male fixed termination	16, 53

MODEL INDEX

MODEL	PAGE	MODEL	PAGE		
8031B5	3.5mm male fixed termination	18, 53	8047E	3.5mm male precision fixed offset short	68
8033A1.10	3.5mm female precision mismatch	86	8047F	3.5mm male precision fixed offset short	16-18, 68
8033A1.20	3.5mm female precision mismatch	86	8048A1	3.5mm female open	16-18, 79
8033A1.30	3.5mm female precision mismatch	86	8048B1	3.5mm male open	16-18, 79
8033A1.50	3.5mm female precision mismatch	86	8050A series	3.5mm VNA Calibration Kits (Standard)	16
8033A1.75	3.5mm female precision mismatch	86	8050Q01	3.5mm Female VNA Calibration Kit (Economy)	39
8033A2.00	3.5mm female precision mismatch	86	8050Q02	3.5mm Male VNA Calibration Kit (Economy)	39
8033A2.50	3.5mm female precision mismatch	86	8050Q03	3.5mm Female/Male VNA Calibration Kit (Economy)	39
8033A3.00	3.5mm female precision mismatch	86	8050Y series	3.5mm VNA Calibration Kits (Expanded)	16
8033B1.10	3.5mm male precision mismatch	86	8050Z1	3.5mm VNA Calibration Kit Adapter Set	19
8033B1.20	3.5mm male precision mismatch	86	8050Z2	3.5mm VNA Calibration Kit Adapter Set	19
8033B1.30	3.5mm male precision mismatch	86	8060A series	3.5mm TRL/LRL VNA Calibration Kits (Tri-Kits)	18
8033B1.50	3.5mm male precision mismatch	86	8400		
8033B1.75	3.5mm male precision mismatch	86	8445A	HN female general purpose fixed offset short	73
8033B2.00	3.5mm male precision mismatch	86	8445B1	HN male general purpose fixed offset short	73
8033B2.50	3.5mm male precision mismatch	86	8455A	SC female general purpose fixed offset short	73
8033B3.00	3.5mm male precision mismatch	86	8455B1	SC male general purpose fixed offset short	73
8033K	3.5mm precision mismatch set	88	8500		
8035A	3.5mm female-male modular sliding termination	64	8550 series	BNC VNA Cal Kits (Fixed Termination)	34
8036A	3.5mm female/male modular sliding short	76	8550Q01	BNC Female VNA Calibration Kit (Economy)	39
8037A	3.5mm female sliding termination	16, 62	8550Q02	BNC Male VNA Calibration Kit (Economy)	39
8037B	3.5mm male sliding termination	16, 62	8550Q03	BNC Female/Male VNA Calibration Kit (Economy)	39
8037C	3.5mm female/male sliding termination set	62	8580A series	BNC 75 Ω VNA Calibration Kits (Fixed Termination)	35
8041B	3.5mm slide screw tuner (12.0-26.5 GHz)	144	8582D1	BNC female 75 Ω to 7mm adapter	35, 113
8041C	3.5mm slide screw tuner (12.0-34.0 GHz)	142	8582D2	BNC male 75 Ω to 7mm adapter	35, 113
8042C	3.5mm female to male bead supported air line	82	8583A	BNC female 75 Ω fixed termination	35, 55
8042D	3.5mm female to male bead supported air line	82	8583B	BNC male 75 Ω fixed termination	35, 55
8042E	3.5mm female to male bead supported air line	82	8584A	BNC female 75 Ω general purpose fixed offset short	35, 73
8042G	3.5mm female to male bead supported air line	82	8584B	BNC male 75 Ω general purpose fixed offset short	35, 73
8043M6.8	3.5mm male to male beadless air line	82	8585A	BNC female 75 Ω open	35, 79
8043M7.2	3.5mm male to male beadless air line	82	8585B	BNC male 75 Ω open	35, 79
8043M10	3.5mm male to male beadless air line	82	8600		
8043S5	3.5mm female to male air line (5cm)	18, 82	8606A	TNC female precision fixed offset short	70
8043S5.3	3.5mm female to male air line (5.3cm)	18, 82	8606B	TNC female precision fixed offset short	70
8043S6	3.5mm female to male air line (6cm)	18, 82	8606C	TNC female precision fixed offset short	70
8043S7.5	3.5mm female to male beadless air line	82	8606D	TNC female precision fixed offset short	70
8043S10	3.5mm female to male beadless air line	82	8607A	TNC male precision fixed offset short	70
8043S15	3.5mm female to male air line (15cm)	18, 82	8607B	TNC male precision fixed offset short	70
8044S15	3.5mm two-port mismatch air line standard	90	8607C	TNC male precision fixed offset short	70
8044S60	3.5mm two-port mismatch air line standard	90	8607D	TNC male precision fixed offset short	70
8045C	3.5mm slide screw tuner (0.9-12.4 GHz)	144	8609B	TNC female open	28-29, 79
8045D	3.5mm slide screw tuner (1.8-18.0 GHz)	144	8610B	TNC male open	28-29, 79
8045D1	3.5mm slide screw tuner (1.8-18.0 GHz)	142	8611C	TNC female precision mismatch	87
8045N	3.5mm slide screw tuner (0.8-8.0 GHz)	142	8611D	TNC female precision mismatch	87
8045P	3.5mm slide screw tuner (0.8-8.0 GHz)	142	8611E	TNC female precision mismatch	87
8046A	3.5mm female precision fixed offset short	68	8611F	TNC female precision mismatch	87
8046B	3.5mm female precision fixed offset short	68	8611G	TNC female precision mismatch	87
8046C	3.5mm female precision fixed offset short	68	8612C	TNC male precision mismatch	87
8046D	3.5mm female precision fixed offset short	68	8612D	TNC male precision mismatch	87
8046E	3.5mm female precision fixed offset short	68	8612E	TNC male precision mismatch	87
8046F	3.5mm female precision fixed offset short	16-18, 68	8612F	TNC male precision mismatch	87
8047A	3.5mm male precision fixed offset short	68	8612G	TNC male precision mismatch	87
8047B	3.5mm male precision fixed offset short	68	8615A	TNC female general purpose fixed offset short	28-29, 70
8047C	3.5mm male precision fixed offset short	68	8615B	TNC male general purpose fixed offset short	28-29, 70
8047D	3.5mm male precision fixed offset short	68	8619A	TNC female to NMD3.5mm female adapter	28-29, 108

MODEL INDEX

MODEL	PAGE	MODEL	PAGE		
8619B	TNC male to NMD3.5mm female adapter	28-29, 108	8714B2	2.92mm (K) male to 2.92mm (K) male adapter	15, 106
8650 series	TNC VNA Calibration Kits (Standard)	28-29	8714C2	2.92mm (K) female to 2.92mm (K) male adapter	15, 106
8650Q01	TNC Female VNA Calibration Kit (Economy)	39	8714D1	2.92mm (K) female to female adapter	106
8650Q02	BNC Male VNA Calibration Kit (Economy)	39	8714E1	2.92mm (K) female to female adapter	106
8650Q03	BNC Female /Male VNA Calibration Kit (Economy)	39	8719A	NMD2.92mm female to 2.92mm (K) female adapter	15, 105
8650Z1	Instrument case (24 units)	88	8719B	NMD2.92mm female to 2.92mm (K) male adapter	15, 105
8670 series	TNCA VNA Calibration Kits (Standard/Fixed Termination)	32-33	8719E	NMD2.92mm female to NMD2.4mm male test port adapter	105
8672A	TNCA female to 3.5mm female adapter	33, 111	8719F	NMD2.92mm female to NMD2.4mm male test port adapter	105
8672B	TNCA male to 3.5mm female adapter	33, 111	8723A	2.92mm female to Type N female adapter	107
8672C	TNCA female to 3.5mm male adapter	33, 111	8723B	2.92mm female to Type N male adapter	107
8672D	TNCA male to 3.5mm male adapter	33, 111	8723C	2.92mm male to Type N female adapter	107
8673A	TNCA female sliding termination	32, 63	8723D	2.92mm male to Type N male adapter	107
8673B	TNCA male sliding termination	32, 63	8725A	2.92mm (K) female to 7mm adapter	15, 107
8674A	TNCA female fixed termination	33, 57	8725B	2.92mm (K) male to 7mm adapter	15, 107
8674B	TNCA male fixed termination	33, 57	8760A series	2.92mm (K) TRL/LRL VNA Calibration Kits (Tri-Kits)	14
8675A	TNCA female open	33, 79	8770 series	2.92mm (K) VNA Calibration Kits (Standard & Fixed Term)	12-13
8674B	TNCA male open	33, 79	8770Z1	2.92mm (K) VNA Calibration Kit Adapter Set	15
8676A	TNCA Female precision fixed offset short	32, 71	8770Z2	2.92mm (K) VNA Calibration Kit Adapter Set	15
8677A	TNCA Male precision fixed shorts	32, 71	8770Z3	2.92mm (K) VNA Calibration Kit Adapter Set	15
8678A	TNCA female to TNCA female adapter	33, 119	8770Z6	5/16-inch open-end wrench	36
8678B	TNCA male to TNCA male adapter	33, 119	8770Z7	7/16-inch open-end wrench	36
8678C	TNCA female to TNCA male adapter	33, 119	8771A1	2.92mm (K) female precision fixed offset short	67
8679A	NMD3.5mm female to TNCA female adapter	33, 108	8771B1	2.92mm (K) female precision fixed offset short	67
8679B	NMD3.5mm female to TNCA male adapter	33, 108	8771C1	2.92mm (K) female precision fixed offset short	67
8680 series	AFTNC VNA Calibration Kits (Standard/Fixed Termination)	30-31	8771D1	2.92mm (K) female precision fixed offset short	67
8682A	AFTNC female to 3.5mm female adapter	30-31, 111	8771E1	2.92mm (K) female precision fixed offset short	67
8682B	AFTNC male to 3.5mm female adapter	30-31, 111	8771F1	2.92mm (K) female precision fixed offset short	12-14, 67
8682C	AFTNC female to 3.5mm male adapter	30-31, 111	8772A1	2.92mm (K) male precision fixed offset short	67
8682D	AFTNC male to 3.5mm male adapter	30-31, 111	8772B1	2.92mm (K) male precision fixed offset short	67
8683A	AFTNC female sliding termination	30, 63	8772C1	2.92mm (K) male precision fixed offset short	67
8683B	AFTNC male sliding termination	30, 63	8772D1	2.92mm (K) male precision fixed offset short	67
8684A	AFTNC female precision fixed termination	30, 57	8772E1	2.92mm (K) male precision fixed offset short	67
8684B	AFTNC male precision fixed termination	30, 57	8772F1	2.92mm (K) male precision fixed offset short	12-14, 67
8685A	AFTNC female open	30, 79	8773A1	2.92mm (K) female open	12-14, 79
8685B	AFTNC male open	30, 79	8773B1	2.92mm (K) male open	12-14, 79
8686A	AFTNC female general purpose fixed offset short	30, 71	8774B6.8	2.92mm (K) female to male beadless air line	81
8687A	AFTNC male general purpose fixed offset short	30, 71	8774B7.5	2.92mm (K) female to male beadless air line	81
8688A	AFTNC female to AFTNC female adapter	30-31, 119	8774B15	2.92mm (K) female to male beadless air line	81
8688B	AFTNC male to AFTNC male adapter	30-31, 119	8774C3	2.92mm (K) female to male beadless air line	81
8688C	AFTNC female to AFTNC male adapter	30-31, 119	8774C5	2.92mm (K) female to male air line (5cm)	14, 81
8691A	AFTNC female to NMD3.5mm female adapter	31, 108	8774C5.25	2.92mm (K) female to male air line (5.25cm)	14, 81
8691B	AFTNC male to NMD3.5mm female adapter	31, 108	8774C6	2.92mm (K) female to male air line (6cm)	14, 81
8692A	7mm to AFTNC female adapter	31, 113	8774C7.5	2.92mm female to male beadless air line (7.5cm)	81
8692B	7mm to AFTNC male adapter	31, 113	8774C15	2.92mm (K) female to male air line (15cm)	14, 81
8694A	AFTNC female to Type N female adapter	31, 116	8775A2	2.92mm (K) female precision fixed termination	12-14, 53
8694B	AFTNC male to Type N female adapter	31, 116	8775B2	2.92mm (K) male precision fixed termination	12-14, 53
8694C	AFTNC female to Type N male adapter	31, 116	8777A1	2.92mm (K) female sliding termination	12, 62
8694D	AFTNC male to Type N male adapter	31, 116	8777B1	2.92mm (K) male sliding termination	12, 62
8696A	TNCA female to 7mm adapter	33, 113	8777C1	2.92mm (K) female/male sliding termination set	62
8696B	TNCA male to 7mm adapter	33, 113	8778A1.10	2.92mm (K) female precision mismatch	86
8697A	TNCA female to Type N female adapter	33, 116	8778A1.15	2.92mm (K) female precision mismatch	86
8697B	TNCA male to Type N female adapter	33, 116	8778A1.20	2.92mm (K) female precision mismatch	86
8697C	TNCA female to Type N male adapter	33, 116	8778A1.25	2.92mm (K) female precision mismatch	86
8697D	TNCA male to Type N male adapter	33, 116	8778A1.30	2.92mm (K) female precision mismatch	86
8700			8778A1.50	2.92mm (K) female precision mismatch	86
8714A2	2.92mm (K) female to 2.92mm (K) female adapter	15, 106	8778A1.75	2.92mm (K) female precision mismatch	86

MODEL INDEX

MODEL	PAGE	MODEL	PAGE		
8778A2.00	2.92mm (K) female precision mismatch	86	8816B	Type N female to SMA male adapter	116
8778B1.10	2.92mm (K) male precision mismatch	86	8816C	Type N male to SMA female adapter	116
8778B1.15	2.92mm (K) male precision mismatch	86	8816D	Type N male to SMA male adapter	116
8778B1.20	2.92mm (K) male precision mismatch	86	8817A	Type N female to TNC adapter	29, 116
8778B1.25	2.92mm (K) male precision mismatch	86	8817B	Type N female to TNC male adapter	29, 116
8778B1.30	2.92mm (K) male precision mismatch	86	8817C	Type N male to TNC female adapter	29, 116
8778B1.50	2.92mm (K) male precision mismatch	86	8817D	Type N male to TNC male adapter	29, 116
8778B1.75	2.92mm (K) male precision mismatch	86	8820A	Type N female to HN female adapter	116
8778B2.00	2.92mm (K) male precision mismatch	86	8820B1	Type N female to HN male adapter	116
8779A1	2.92mm (K) female modular sliding short	76	8820C	Type N male to HN female adapter	116
8779B1	2.92mm (K) male modular sliding short	76	8820D1	Type N male to HN male adapter	116
8780A series	OSP™ VNA Calibration Kits (Standard)	36	8821A1	Type N female to BNC female adapter	34, 116
8780B series	OSP™ VNA Calibration Kits (Fixed Termination)	36	8821B1	Type N female to BNC male adapter	34, 116
8780F series	OSP™ Female VNA Calibration Kits (Fixed Termination)	37	8821C1	Type N male to 50 BNC female adapter	34, 116
8780M series	OSP™ Male VNA Calibration Kits (Fixed Termination)	37	8821D1	Type N male to 50 BNC male adapter	34, 39, 116
8781A	LCP/OSP™ female fixed offset short	36-37, 72	8822A	Type N female to C female adapter	39, 116
8781B	LCP/OSP™ male fixed offset short	36-37, 72	8822B	Type N female to C female adapter	116
8782A	OSP™ female open	36-37, 79	8822C	Type N male to C female adapter	116
8782B	OSP™ female open	36-37, 79	8822D	Type N male to C male adapter	116
8783A	LCP/OSP™ female fixed termination	36-37, 58	8828A	Type N female to type N female adapter	22-23, 39, 114
8783B	LCP/OSP™ male fixed termination	36-37, 58	8828B	Type N male to type N male adapter	22-23, 39, 114
8784E	LCPOSP™ sliding termination (interchangeable F/M connectors)	36, 64	8828C	Type N female to type N male adapter	22-23, 39, 114
8787G	LCP/OSP™ female to 7mm adapter	37, 118	8829A	NMD3.5mm female to type N female adapter	25, 108
8787H	LCP/OSP™ male to 7mm adapter	37, 118	8829B	NMD3.5mm female to type N male adapter	25, 108
8787J	LCP/OSP™ female to Type N male adapter	36-37, 118	8834A	Type N female sliding termination	62
8787K	LCP/OSP™ male to Type N male adapter	36-37, 118	8834B	Type N male sliding termination	62
8787Q	LCP/OSP™ female to 3.5mm female adapter	37, 118	8834C	Type N female/male sliding termination set	62
8787R	LCP/OSP™ female to 3.5mm male adapter	37, 118	8850 series	Type N VNA Calibration Kits (Standard & Fixed Termination)	22-23
8787S	LCP/OSP™ male to 3.5mm female adapter	37, 118	8850Q01	Type N Female VNA Calibration Kit (Economy)	39
8787T	LCP/OSP™ male to 3.5mm male adapter	37, 118	8850Q02	Type N Male VNA Calibration Kit (Economy)	39
8799A1	5/16-in. hex torque wrench (8 in. lbs)	4-6, 8-10, 12-14, 16-18, 21, 39, 94	8850Q03	Type N Female and Male VNA Calibration Kit (Economy)	39
8799D1	5/16-in. hex torque wrench (5 in. lbs)	94	8850Z8	3.5mm to Type N VNA Calibration Kit Adapter Set	25
8799E1	1/4-in. hex torque wrench (5 in. lbs)	94	8850Z9	7mm to Type N VNA Calibration Kit Adapter Set	25
8800			8850Z10	2.4mm to Type N VNA Calibration Kit Adapter Set	25
8801A	Type N female to Type N female adapter	115	8860A series	Type N TRL/LRL VNA Cal Kits (Tri-Kit)	24
8801B	Type N male to Type N male adapter	115	8860_	3.5mm to Type N VNA Calibration Kit Adapter Set	25
8801C	Type N female to Type N male adapter	115	8850_	2.4mm to Type N VNA Calibration Kit Adapter Set	25
8801K	Type N to Type N adapter kit	115	8850_	7mm to Type N VNA Calibration Kit Adapter Set	25
8801L	Type N to Type N adapter kit	115	8880A series	Type N VNA Calibration Kits (75 Ω Fixed Term.)	26-27
8803A	Type N female to Type N female adapter	115	8880B series	Type N VNA Calibration Kits (75 Ω Fixed Term.)	26-27
8803B	Type N male to Type N male adapter	115	8880X2	Foam-lined utility box	26
8803C	Type N female to Type N male adapter	115	8882A	Type N 75 Ω female to type N 75 Ω female adapter	26-27, 117
8803D	Type N female to Type N female adapter	115	8882B	Type N 75 Ω male to type N 75 Ω male adapter	26-27, 117
8806A	Type N female precision fixed fixed offset short	70	8882C	Type N 75 Ω female to type N 75 Ω male adapter	26-27, 117
8806B	Type N female precision fixed fixed offset short	70	8882D1	Type N 75 Ω female to 7mm 50 Ω adapter	26-27, 117
8806C	Type N female precision fixed fixed offset short	22-24, 70	8882D2	Type N 75 Ω male to 7mm 50 Ω adapter	26-27, 117
8806D	Type N female precision fixed fixed offset short	70	8882E1	Type N 75 Ω female to NMD3.5mm 50 Ω female adapter	26-27, 117
8806G	Type N female precision fixed fixed offset short	24, 70	8882E2	Type N 75 Ω male to NMD3.5mm 50 Ω female adapter	26-27, 117
8807A	Type N male precision fixed fixed offset short	70	8882F11	Type N 75 Ω female to type N 50 Ω female adapter	26-27, 117
8807B	Type N male precision fixed fixed offset short	70	8882F12	Type N 75 Ω female to type N 50 Ω male adapter	26-27, 117
8807C	Type N male precision fixed fixed offset short	22-24, 70	8882F21	Type N 75 Ω male to type N 50 Ω female adapter	26-27, 117
8807D	Type N male precision fixed fixed offset short	70	8882F22	Type N 75 Ω male to type N 50 Ω male adapter	26-27, 117
8809B1	Type N female open	22-24, 79	8882G11	Type N 75 Ω female to 7mm 50 Ω male adapter	26-27, 117
8810B1	Type N male open	22-24, 79	8882G12	Type N 75 Ω female to 3.5mm 50 Ω male adapter	26-27, 117
8816A	Type N female to SMA female adapter	116	8882G21	Type N 75 Ω male to 3.5mm 50 Ω male adapter	26-27, 117

MODEL INDEX

MODEL	PAGE	MODEL	PAGE		
8882G22	Type N 75 Ω male to 3.5mm 50 Ω male adapter	26-27, 117	A042A	SMP/GPO™ connector gage kit (push-on)	92
8883A	Type N 75 Ω female fixed termination	26- 27, 55	A045A	Multiport connector gage kit (push-on)	92
8883B	Type N 75 Ω male fixed termination	26- 27, 55	A046A	ZMA/BZ connector gage kit (push-on)	92
8884A	Type N 75 Ω female fixed offset short	26- 27, 73	A048A	1.85mm/2.4mm digital connector gage kit (thread-on)	4-6, 8-10, 92
8884B	Type N 75 Ω male fixed offset short	26- 27, 73	A050A	2.92mm /3.5mm digital connector gage kit (thread-on)	12-14, 16-18, 39, 92
8885A	Type N 75 Ω female open	26- 27, 79	A050A1	2.92mm/3.5mm female connector gage	16
8885B	Type N 75 Ω male open	26- 27, 79	A050A2	2.92mm/3.5mm male connector gage	16
8900			A050A3	2.92mm/3.5mm female master gage	16
8921A	SMA female to female semi-rigid cable	132	A050A4	2.92mm/3.5mm male master gage	16
8921B	SMA male to male semi-rigid cable	132	(*)100		
8921C	SMA female to male semi-rigid cable	132	(*)101A(*)	WR137-WR28 rectangular transmission lines	44, 127
8926	SMA flexible cable	132	(*)102A(*)	WR284-WR34 rectangular transmission lines	44, 127
8944A25	NMD3.5mm test port cable and adapter kit	134	(*)103A(*)	WR22-WR10 rectangular millimeter waveguide transmission lines	127
8944A38	NMD3.5mm test port cable and adapter kit	134	(*)106A(*)	WR22-WR10 rectangular millimeter waveguide transmission lines	127
8944B25	NMD3.5mm test port cable and adapter kit	134	(*)115(*)	WR22 (UG383/U) test port adapter	127
8944B38	NMD3.5mm test port cable and adapter kit	134	(*)161(*)	WR112-WR75 rectangular waveguide transitions - overlapping bands	127
8944C25	NMD3.5mm test port cable and adapter kit	134	(*)166(*)	WR284-WR28 waveguide flange adapters	126
8944C38	NMD3.5mm test port cable and adapter kit	134	(*)200		
8946A25	NMD2.4mm test port cable and adapter kit	134	(*)200(*)	WR430-WR28 to 3.5mm RAL adapters	47, 122-123
8946A38	NMD2.4mm test port cable and adapter kit	134	(*)209(**)	WR650-WR62 to 7mm RAL adapters	122-123
8946B25	NMD2.4mm test port cable and adapter kit	134	(*)210(*)	WR137-WR51 to SMA female RAL adapters	47, 122-123
8946B38	NMD2.4mm test port cable and adapter kit	134	(*)211(*)	WR137-WR51 to SMA male RAL adapters	122-123
8946C25	NMD2.4mm test port cable and adapter kit	134	(*)213(*)	WR650-WR62 to Type N female RAL adapters	122-123
8946C38	NMD2.4mm test port cable and adapter kit	134	(*)214(*)	WR137 to Type N female RAL adapters	123
8948A25	7mm test port cable and adapter kit	20, 134	(*)215(*)	WR75 to TNC female RAL adapters	123
8948A38	7mm test port cable and adapter kit	20, 134	(*)216(*)	WR75 to TNC male RAL adapters	123
8948B25	7mm test port cable and adapter kit	20, 134	(*)221(*)	WR430-WR62 to Type N EL adapters	124-125
8948B38	7mm test port cable and adapter kit	20, 134	(*)223(*)	WR62 to SMA EL adapters	125
8948C25	7mm test port cable and adapter kit	20, 134	(*)229(*)	WR430-WR62 to 7mm EL adapters	124-125
8948C38	7mm test port cable and adapter kit	20, 134	(*)230A(*)/B(*)	WR229-WR28 to 3.5mm EL adapters	47, 124-125, 135-136
9400			(*)230K(*)	NMD3.5mm to WR229-WR28 test port adapters	47, 135-136
9476(x)	Custom precision mismatch kits (special order)	88	(*)233(*)	WR42-WR28 to 2.92mm EL adapters	47, 124-125
9500			(*)233(*)	NMD3.5mm to WR28 test port adapter	136
9526C	7mm semi-rigid 90° bend	133	(*)236(*)	WR90-WR22 to 2.4mm RAL adapters	44, 123
A000			(*)237(*)	WR42-WR22 to 2.4mm EL adapters	124-125
A007A	Type N connector gage kit (push-on)	92	(*)300		
A012A	BNC/TNC connector gage kit (push-on)	28-29, 92	(*)301(*)	WR650-WR10 waveguide precision fixed terminations	44, 60
A012E	AFTNC/TNC connector gage kit (push-on)	28, 92	(*)313(*)	Precision waveguide sliding terminations	47, 65
A020A	Type N connector gage kit (push-on)	22, 26-27, 92	(*)314(*)	High precision waveguide sliding terminations	44, 41, 65
A020D	Type N connector gage kit (thread-on)	22-24, 26-27, 39, 92	(*)322A(*)	Waveguide two-port mismatch 1/4λ straight sections (shims)	47
A020G	Type N 75 ohm connector gage kit (push-on)	26-27, 92	(*)322A(*)	Waveguide two-port mismatch standard sets	89
A024	14mm Connector Gage Kit (push-on type)	34, 92	(*)340(*)	Waveguide fixed offset shorts	44, 75
A025A	Type N/BNC/TNC/C/SC connector gage kit (push-on)	92	(*)341(*)	Waveguide sliding shorts	78
A027	SMA connector gage kit (push-on)	92	(*)344(*)	Waveguide fixed flush shorts	44, 47, 74
A027A	SMA connector gage kit (push-on)	92	(*)345(*)	Waveguide sliding shorts	78
A027G	SMA connector gage kit (push-on)	92	(*)347(*)	Waveguide sliding shorts	78
A027M	SMA connector gage kit (push-on)	92	(*)353(*)	Waveguide slide screw tuners	146
A028	7mm connector gage (push-on type)	20-21, 92, 134	(*)7000		
A028D	7mm connector gage kit (thread-on)	21, 92	(*)7005E(*)	Waveguide VNA Cal Kits (Standard)	44
A028D2	7mm master gage (push-on type)	20	(*)7005G(*)	Millimeter Waveguide VNA Cal Kits (Optimized)	45
A034B	2.92mm (K)/3.5mm connector gage kit (push-on)	92	(*)7005M(*)	Millimeter Waveguide VNA Cal Kits (Economy)	46
A034E	2.92mm (K)/3.5mm connector gage kit (thread-on)	92	(*)7006A(*)	Waveguide VNA Cal Kits (Economy)	47
A035E	2.4mm connector gage kit (thread-on)	92	(*)7007H(*)	Waveguide TRL VNA Cal Kits	48
A039C	OSP™ connector gage kit (push-on)	36, 92			
A041A	7-16 connector gage kit (push-on)	39, 45, 92			